



#### NT 35/1 Ap

The NT 35/1 Ap is based on the same platform as the NT 25/1 Ap, has 10 liters more container capacity and is the successor to the NT 361 Eco.

#### **TECHNICAL DATA AND EQUIPMENT**





#### NT 35/1 Ap

Protection class Filter cleaning

■ Included in delivery.

- Semi-automatic filter cleaning
- Accessory/suction hose storage
- Integrated cable hook

Technical data		
Order no.		1.184-505.0
EAN code		4039784717305
Air flow rate	I/s	74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	1	35
Max. rated input power	W	1380
Standard nominal width		35
Sound pressure level	dB(A)	70
Container material		plastic
Number of motors		1
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	11.5
Dimensions (L × W × H)	mm	510 × 370 × 575
Equipment		
Suction hose	m	2.5
Suction tube, metal 2 x 0.5 m		1
Filter bag		fleece
Wet and dry floor nozzle	mm	300
Crevice nozzle		T .
Flat pleated filter		Paper

ApClean (semi-automatic filter cleaning system)

























									T
		Order no.	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter, paper									
Flat pleated filter, paper	1	6.904-367.0	1 piece(s)					Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	•
Bend, plastic									
Plastic bend	2	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industria single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	
Bend, plastic, electrically conductive	3	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	
	4	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	
Plastic bend	5	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	
Crevice nozzles									
Crevice nozzle	6	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	•
	7	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	
	8	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	Ε
	9	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	
	10	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	
Suction tubes, metal									
Suction tube	11	6.900-514.0	1 piece(s)	ID 35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	
	12	6.900-275.0	1 piece(s)	ID 40	0.5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	
Complete suction hoses (clip syste	m)								
Suction hose	13	4.440-626.0	1 piece(s)	ID 35	2.5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.	•
Suction hose, electrically conductive	14	4.440-653.0	1 piece(s)	ID 35	2.5 m			2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.	
Connection adaptor for power tool	s, clip-	on, electrically c	onductive		<u> </u>				
Connection adaptor for power tools, C 35, electrically conductive	15	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	

lacksquare Included in delivery.  $\Box$  Available accessories.































		Order no.	Quantity	ID	Length	Width	Price	Description	
Connection Adaptor for power	16	5.453-048.0	1 piece(s)	ID 35				Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically	
tools, C 35, electrically conductive	17	5.453-049.0	1 pioco(c)	ID 2E				conductive. Only NT vacuums.	+-
	17	5.455-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	
	18	5.453-050.0	1 piece(s)	ID 35				Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	
	19	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	
		5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacu-	
			- p (e)	1.2.2.				ums.	
Fleece filter bags (three-ply)								,	
Fleece filter bags	21	6.907-479.0	5 piece(s)						
Adv fleece filter bags	22	6.904-351.0	5 piece(s)					3-ply tear-resistant fleece filter bags (dust class M). For dry	
								pick up, suitable for the following models: NT 361 Eco, Eco	
								TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	
Micro sprayer sets								contents. No	
Nozzle kit	23	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accesso-	$I_{\Box}$
								ries includes crevice tool, upholstery tool, round brush (x3)	╩
Flat pleated filter, PES			_						
Flat pleated filter, PES	24	6.904-360.0	1 piece(s)					Flat pleated filter (PES) – BIA-C dust class M: rotproof poly-	
								ester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	
Coarse dirt filter for wet vacuuming	2							N1 33/1 Eco B3 and N1 33/1 Eco B3.	
Coarse dirt filter		6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal	
								suitable for wet pick up - NT 611 Eco K & KF models.	
Fabric filter								_	
Membrane filter	26	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up	
								to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions	
HEPA, dust class H filter		L						as an alternative to a filter bag.	_
HEPA flat pleated filter	27	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fi-	Т
			, , , , ,					bre layers increases filter capacity when vacuuming	
								health-endangering and carcinogenic dust.	
Paper filter bags (two-ply)									
Paper filter bags	28	6.904-259.0	5 piece(s)					5 paper filter bags (BIA-C dust class M) with reinforced oute	
								ply (e.g. cement dust). For all NT 361 Eco models (except Ec	
Plastic sacks for dust-free disposal								11).	
Plastic sacks for dust-free disposal	29	6.596-886.0	10 piece(s)					PE plastic sack.	
Wet filter bag			, , , , , ,						
Wet filter bag	30	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry,	
								tear-resistant.	╨
Bends, stainless steel		ı				1			
Bend, stainless steel, ID 35	31	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	
Bend, stainless steel, ID 40	32	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	
Bends, metal			La sis O	Libras		1		Debut showing eleted and 11 1/20/25	
Bend, metal	33	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-	
								112.0; C 35-DN 35, plastic, el.).	
	34	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used	$\top$
								instead of a plastic bend (with clip system adapter 5.407-	
								111.0; C 40-DN 40, plastic, el.).	























		Order no.	Quantity	ID	Length	Width	Price	Description	
All-purpose brushes			<u>'</u>					'	
All-purpose brush	35	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	
Floor nozzles									
Wet and dry floor nozzle	36	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	
Multi-purpose nozzle, wet/dry	37	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
	38	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	
	39	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
	40	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	
DN 40 wet/dry floor nozzle	41	6.907-408.0	1 piece(s)	ID 40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	
Rubber tool									
Rubber nozzle, ID 40	42	4.763-057.0	1 piece(s)	40				Rubber.	
Rubber suction tools, nose 45°									
Rubber suction tool, nose 45°	43	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<sup>2</sup>
	44	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
Combi-nozzles, dry									
Combi-nozzle, dry	45	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	
	46	6.906-639.0	1 piece(s)	ID 35		262 mm		Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners.	
Pipe dusting nozzles					,				
Pipe brush 35/100	47	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	
Pipe brush 35/200	48	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	
Suction brushes									
Suction brush	49	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum clean ers.	- 🗆
Turbo nozzles									
Turbo upholstery nozzle	50	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	
Turbo floor nozzle	51	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	

<sup>■</sup> Included in delivery. 

Available accessories.































		1	1	1		1	1		_
		Order no.	Quantity	ID	Length	Width	Price	Description	
Suction tubes, stainless steel									+
Suction tube	52	6.902-081.0	1 piece(s)	ID 40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for	.  _
								NT vacuum cleaners.	
	53	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	
	54	6.902-154.0	1 piece(s)	ID 35	0.5 m			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming	
								applications and for vacuuming corrosive components.	
Suction tubes, plastic			1	1	1			I	
Suction tube	55		1 piece(s)	ID 35	0.5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	
Suction tube, DN 61	56	6.900-224.0					<u> </u>	Plastic	
Extension tube, metal	l	L c c c 4 27 c c	4 -1(-)	125	1250	ı	I	Fortunaise take 10.05 above a plated matel. For extending	
Extension tube, metal, ID 35	57	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending suction tube from 0.5 m to 0.75 m length.	a 🗆
Repair kits		I	1		1			1	
Repair kit, C 35	58	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with cli	ip 🗆
Suction hoses (clip system)		1	-	-				system.	
Suction hose	59	6.906-241.0	1 piece(s)	35	4 m		I	4 m suction hose without bend and adapter. With bayonet	
								at vacuum end and C 35 clip connection at accessory end.	
	60	6.906-275.0	1 piece(s)	35	2.5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	
	61	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and	+
								adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	
	62	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	
	63	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	
	64	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and	d
		6 006 077 0	1 nines(s)	40	10 ==		-	40 clip connection. Without bend and adapter.	
Suction hose (clip system), C 35,	65 66	6.906-877.0 6.906-242.0	1 piece(s) 1 piece(s)	C- 35	10 m			Suction hose with bayonet coupling, electrically conductive.  Electrically conductive 10 m suction hose with bayonet	. 🗆
10 m	00	0.300-242.0	1 piece(s)	C- 33	10 111			adaptor and C 40 clip adaptor. Without manifold or connection bushing.	- 🗆
Suction hoses (without connectors)		1	1	-				1	
Suction hose, DN 32 and 35 (without connectors)	67	6.389-838.0		32	10 m			Standard (not T 201 with ESB 28).	
Suction hoses complete									
Suction hose, complete, 120°C	68	4.440-339.0	1 piece(s)	ID 35	2.5 m			Temperature-resistant to 120 °C.	
Suction hose, complete	69	4.440-446.0	1 piece(s)	ID 27	3.5 m			Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	
	70	4.440-461.0	1 piece(s)	ID 27	7 m			Electrically non-conductive suction hose (7 m) with DN 27	+
	, ,		1 5.000(5)	1.5 27				power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	: 🗆
Connecting sleeves									
Connecting adaptor, ID 27, electrically conductive.	71	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conducitve.	































		Order no.	Quantity	ID	Length	Width	Price	Description
Adaptor, ID 32/35, with internal thread	72	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.
Connecting adaptor, ID 40, with internal thread	73	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.
Connecting sleeve, ID 61, with female thread	74	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides
Extension hoses (clip system)								
Extension hose	75	6.906-237.0	1 piece(s)	ID 32	2.5 m			Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.
Extension hose, electrically conductive	76	6.906-277.0	1 piece(s)	ID 32	2.5 m			for all C-32 and C-35 hoses, electrically conductive.
Y-adapter kit								
Y-adapter kit	77	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.
Connection adaptor C ID (clip to co								
Connection adaptor C DN 35	1	5.407-112.0	1 piece(s)	ID 35				C 35 hose connector for DN 35 accessory, electrically conductive.
Connection adaptor C DN 40	79	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.
	80	5.407-111.0	1 piece(s)	ID 40				C 40 hose connector for DN 40 accessory, electrically conductive.
Adaptor for electric power tools, so	crewah	le						doctive.
Adaptor for electric power tools, screwable, ID 35	81	1	1 piece(s)	ID 35				Adaptable three-step plastic sleeve for power tools. Designed to thread onto a DN 35 industrial suction hose. With fitting instructions.
	82	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 t DN 36. For connecting to an industrial DN 35 suction hose.
	83	5.453-026.0	1 piece(s)	ID 35				Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.
	84	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.
	85	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.
Expansion pieces (tube -> nozzle)					,			
Adapter ID 35 - 40 (tube -> noz- zle)	86	6.902-084.0	1 piece(s)	ID 35				From DN 35 to DN 40: Plastic adapter (electrically non-con ductive). Suitable for NT vacuum cleaners.
Reducing sleeves					,			
Reducer	87	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.
Reducers (tube -> nozzle)								
Reducer	88	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories will DN 40 connecting cone.
Reducer from ID 35 to ID 32	89	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.
Reduction/expansion adapter kit		·					-	communication with midodural first vaccom deallers.
Set of reducers / adapter sleeves	90	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.
■ Included in delivery □ A							-	1























									Т
		Order no.	Quantity	ID	Length	Width	Price	Description	
Target-group-specific accessory kit	e for v			10	Lengui	width	FIICE	Description	$\perp$
Universal kit for industrial and	91	2.637-595.0	1	ID 35		1	I	Accessory kit for industrial and commercial use.	
commercial use	91	2.037-595.0		35 עו				Accessory kit for industrial and commercial use.	
Heating boiler cleaning kit	92	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves	, _
								etc.	ـــــ
Construction kit	93	2.637-352.0		ID 40				Building and ancillary trade accessory kit.	
Professional cleaning kit	94	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend,	
								metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-	
								275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	
Horse kit, electrically conductive	95	2.637-248.0		ID 40				Target group-specific accessory kit for horse and pony	T
-								breeders or owners	
Wet and dry vacuuming kit, ID 40,	96	2.638-147.0		ID 40				Wet and dry vacuum cleaner kit, electrically conductive, DN	Тп
electrically conductive								40.	Ľ
Modification kit, non-conductive m			1						
ABS non-conductive media	97	2.641-560.0	1 piece(s)					For switching off when vacuuming non-conductive fluids	
								such as oils and greases.	
Flat pleated filter, PTFE		l	1	1		1	ı		1-
Flat pleated filter, PTFE	98	6.907-455.0	1 piece(s)						
Car cleaning nozzles		1	1		1	ı			
Car nozzle	99	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm	
Oth								working width. Only for NT vacuum cleaners.	_
Other	1.00	l	1			1	1	Law to the trace of the trace	
Drilling dust nozzle	100	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from	
								Kärcher.	
CS 40 Me	101	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all	$\top$
								Kärcher wet and dry vacuum cleaners is a specially de-	
								signed accessory for fine dust applications on construction	
								sites or in industry.	$\perp$

<sup>■</sup> Included in delivery. 

Available accessories.





		Order no.	Length	Colour	Quanti- ty	Price	Description
Miscellaneous							
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

<sup>■</sup> Included in delivery. 

Available accessories.





					Length			
		Order no.	Quantity	ID	/ width	Price	Description	,
Other nozzles								
Rubber suction nozzle, 45°	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	

<sup>■</sup> Included in delivery. 

Available accessories.



		Order no.			Price	Description	
							_
Suction tubes							
	1	6.900-274.0				metal	

lacksquare Included in delivery.  $\Box$  Available accessories.